


# CN 913.3

Grub screws



Standard Elements	Main dimensions					Weight
Description	d	l	d <sub>1</sub>	l <sub>1</sub>	s	g
CN 913.3-M4-6-KU	M4	6	2	1	2	1
CN 913.3-M4-8-KU	M4	8	2	1	2	1
CN 913.3-M4-10-KU	M4	10	2	1	2	1
CN 913.3-M4-12-KU	M4	12	2	1	2	1
CN 913.3-M4-16-KU	M4	16	2	1	2	1
CN 913.3-M4-20-KU	M4	20	2	1	2	1
CN 913.3-M5-8-KU	M5	8	3	1	2.5	1
CN 913.3-M5-10-KU	M5	10	3	1	2.5	1
CN 913.3-M5-12-KU	M5	12	3	1	2.5	1
CN 913.3-M5-16-KU	M5	16	3	1	2.5	2
CN 913.3-M5-20-KU	M5	20	3	1	2.5	2
CN 913.3-M5-25-KU	M5	25	3	1	2.5	3
CN 913.3-M6-10-KU	M6	10	3.5	1.3	3	1
CN 913.3-M6-12-KU	M6	12	3.5	1.3	3	1
CN 913.3-M6-16-KU	M6	16	3.5	1.3	3	2
CN 913.3-M6-20-KU	M6	20	3.5	1.3	3	3
CN 913.3-M6-25-KU	M6	25	3.5	1.3	3	4
CN 913.3-M6-32-KU	M6	32	3.5	1.3	3	5
CN 913.3-M6-40-KU	M6	40	3.5	1.3	3	6
CN 913.3-M6-50-KU	M6	50	3.5	1.3	3	8
CN 913.3-M8-12-KU	M8	12	5	1.6	4	2
CN 913.3-M8-16-KU	M8	16	5	1.6	4	4
CN 913.3-M8-20-KU	M8	20	5	1.6	4	5
CN 913.3-M8-25-KU	M8	25	5	1.6	4	7
CN 913.3-M8-32-KU	M8	32	5	1.6	4	9
CN 913.3-M8-40-KU	M8	40	5	1.6	4	11
CN 913.3-M8-50-KU	M8	50	5	1.6	4	14
CN 913.3-M8-63-KU	M8	63	5	1.6	4	18
CN 913.3-M10-16-KU	M10	16	6.5	1.9	5	5
CN 913.3-M10-20-KU	M10	20	6.5	1.9	5	7
CN 913.3-M10-25-KU	M10	25	6.5	1.9	5	9
CN 913.3-M10-32-KU	M10	32	6.5	1.9	5	13
CN 913.3-M10-40-KU	M10	40	6.5	1.9	5	16
CN 913.3-M10-50-KU	M10	50	6.5	1.9	5	21
CN 913.3-M10-63-KU	M10	63	6.5	1.9	5	28
CN 913.3-M10-80-KU	M10	80	6.5	1.9	5	36
CN 913.3-M12-20-KU	M12	20	8	2.1	6	9
CN 913.3-M12-25-KU	M12	25	8	2.1	6	13
CN 913.3-M12-32-KU	M12	32	8	2.1	6	18
CN 913.3-M12-40-KU	M12	40	8	2.1	6	24
CN 913.3-M12-50-KU	M12	50	8	2.1	6	31
CN 913.3-M12-63-KU	M12	63	8	2.1	6	40

CN 913.3-M12-80-KU	M12	80	8	2.1	6	52
CN 913.3-M12-100-KU	M12	100	8	2.1	6	66
CN 913.3-M4-6-MS	M4	6	2.5	0.5	2	1
CN 913.3-M4-8-MS	M4	8	2.5	0.5	2	1
CN 913.3-M4-10-MS	M4	10	2.5	0.5	2	1
CN 913.3-M4-12-MS	M4	12	2.5	0.5	2	1
CN 913.3-M4-16-MS	M4	16	2.5	0.5	2	1
CN 913.3-M4-20-MS	M4	20	2.5	0.5	2	1
CN 913.3-M5-8-MS	M5	8	3	0.5	2.5	1
CN 913.3-M5-10-MS	M5	10	3	0.5	2.5	1
CN 913.3-M5-12-MS	M5	12	3	0.5	2.5	1
CN 913.3-M5-16-MS	M5	16	3	0.5	2.5	2
CN 913.3-M5-20-MS	M5	20	3	0.5	2.5	2
CN 913.3-M5-25-MS	M5	25	3	0.5	2.5	3
CN 913.3-M6-10-MS	M6	10	4	1	3	1
CN 913.3-M6-12-MS	M6	12	4	1	3	2
CN 913.3-M6-16-MS	M6	16	4	1	3	2
CN 913.3-M6-20-MS	M6	20	4	1	3	3
CN 913.3-M6-25-MS	M6	25	4	1	3	4
CN 913.3-M6-32-MS	M6	32	4	1	3	5
CN 913.3-M6-40-MS	M6	40	4	1	3	6
CN 913.3-M6-50-MS	M6	50	4	1	3	8
CN 913.3-M8-12-MS	M8	12	6	1.5	4	3
CN 913.3-M8-16-MS	M8	16	6	1.5	4	5
CN 913.3-M8-20-MS	M8	20	6	1.5	4	6
CN 913.3-M8-25-MS	M8	25	6	1.5	4	7
CN 913.3-M8-32-MS	M8	32	6	1.5	4	10
CN 913.3-M8-40-MS	M8	40	6	1.5	4	12
CN 913.3-M8-50-MS	M8	50	6	1.5	4	15
CN 913.3-M8-63-MS	M8	63	6	1.5	4	19
CN 913.3-M10-16-MS	M10	16	8	2	5	7
CN 913.3-M10-20-MS	M10	20	8	2	5	9
CN 913.3-M10-25-MS	M10	25	8	2	5	11
CN 913.3-M10-32-MS	M10	32	8	2	5	15
CN 913.3-M10-40-MS	M10	40	8	2	5	18
CN 913.3-M10-50-MS	M10	50	8	2	5	23
CN 913.3-M10-63-MS	M10	63	8	2	5	30
CN 913.3-M10-80-MS	M10	80	8	2	5	38
CN 913.3-M12-20-MS	M12	20	10	2	6	12
CN 913.3-M12-25-MS	M12	25	10	2	6	16
CN 913.3-M12-32-MS	M12	32	10	2	6	21
CN 913.3-M12-40-MS	M12	40	10	2	6	27
CN 913.3-M12-50-MS	M12	50	10	2	6	34
CN 913.3-M12-63-MS	M12	63	10	2	6	43
CN 913.3-M12-80-MS	M12	80	10	2	6	56



#### technical informations

##### Material

Black-oxide steel, class 5.8 (tensile strength 500 N/mm<sup>2</sup>), hexagon socket head.

##### Bolt

- Execution KU: acetal resin based (POM) technopolymer, natural colour.
- Execution MS: brass.

##### *Special executions on request (For sufficient quantities)*

Different threadings and lengths.

##### *Applications*

CN 913.3 grub screws, thanks to the brass or technopolymer bolt, avoid to scratch or damage the contact surface.

---